



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Owen County are stored on microfilm Reel 4659 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T. 10 N. R. 5 W. 2nd Mer. Ind.^a

West Between Sections 6 & 7 T. 10 N. R. 5 W.
 40.00 Set g^r. sec. post from which
 a W. Oak 30 in. dia. bears N 45 E 40 the end
 & a Do. 24 " " " S 50 W 12 " "
 49.50 To a Brook 10 lbs. wide en. S. W.
 80.00 Intersect W. boundary, 225 lbs. S. of post,
 and set post en. Sec. 6 & 7 from which
 a Beech 13 in. dia. bears S 45 W 35 the end
 a Do. 18 " " " S 35 E 47 " "
 Some Beech land of middling quality

North Between sections 5 & 6, T. 10 N. R. 5 W.
 5.00 To a Brook 8 lbs. wide en. West,
 40.00 Set g^r. sec. post from which
 a Gum 12 in. dia. bears S 35 E 27 the end
 & a W. Oak 13 " " " S 40 W 26 " "
 82.50 Intersect N. boundary, 50 lbs. E. of post,
 where set post en. Sec. 5 & 6 from which
 a Beech 20 in. dia. bears N 60 W 10 the end
 & a Do. 13 " " " S 12 E 58 " "
 Land & timber is same as on last mile

Surveyed in March 1874 By
 John Farkus Samuel Lewis Chain men
 Samuel Holmes, Dep. sur.

Township 11 North, Range 5 West 2nd Mer. Ind.^a

Co. L, South Boundary.

East On Random South side Sec. 31
 38.50 To a Brook 15 lbs. wide en. NW,
 40.00 Set temp^y. g^r. sec. post,
 80.00 Set temp^y. post en. Sec. 31 & 32,
 uneven land. Timber Oak Beech Sugar h.

East Random On South side Sec. 32
 34.00 To a Creek 5 lbs. wide en. S. E.,
 40.00 Set a temp^y. g^r. sec. post,
 45.00 To a Creek 6 lbs. wide en. NW,
 80.00 Set a temp^y. post en. Sec. 32 & 33.
 Land same as last mile,

East Random On South side Sec. 33,
 2.00 To a Creek 3 lbs. wide en. N,
 15.00 " " Do. 3 " " " N,
 26.00 " " Do. 10 " " " NW,
 35.00 " " Do. 3 " " " N. & S.
 40.00 Set temp^y. g^r. sec. post,
 80.00 Set temp^y. post en. Sec. 33 & 34
 Land same Timber Oak Beech Sugar Oak Hickory.

East On Random South side Sec. 34
 2.00 To a Creek 3 lbs. wide en. N,
 33.00 " " Do. 3 " " " NW,
 40.00 Set temp^y. g^r. sec. post,
 70.00 To a Brook 10 lbs. wide en. NW,
 80.00 Set a temp^y. post en. Sec. 34 & 35,
 Land & same as on last mile,

East Random South side of Sec. 35.
 2.00 To a Brook 10 lbs. wide en. N.
 35.00 To a spring en. N. great indications of stone coal
 40.00 Set a temp^y. g^r. sec. post

T. 11 N. R. 5 W. 2nd Mer. Ind.

80.00 Set temp^y post cor. sec. 35 & 36
Hilly rich land. Sugar Ash Oak &c,

East On Randoms On S. side of sec. 36

2.00 To a Brook 10 th. wide en. it,

30.00 " " Do. 10 " " " " "

40.00 Set temp^y gr. sec. post,

80.00 Intersect E. bound^y 400 th. crop
temp^y post, where set post cor,
Lower 10 & 11 st. Range 4 & 5 W. from which
a Sugar 18 in dia. bears S 25 E 21 th. dist,
& a Do. 18 " " " N 59 E 9 " "
Hilly rich land, Sugar Ash & Oak timber,

West On South side of sec. 36 T. 11 N. R. 5 W.

40.00 Set gr. sec. post from which
a Hickory 5 in dia. bears N 89 W 17 th. dist,
& a R. Oak 36 " " " N 71 E 39 " "

80.00 Set post cor. sec. 35 & 36 from which
a Beech 16 in dia. bears S 38 W 15 th. dist,
& an Elm 24 " " " N 38 E 48 " "

West On South side sec. 35 T. 11 N. R. 5 W.
a Sugar 16 in dia. bears S 22 W 6 th. dist,
& a Beech 18 " " " N 67 E 26 " "

80.00 Set post cor. sec. 34 & 35 from which
a Dogwood 8 in dia. bears N 45 W 21 th. dist,
& a Beech 7 " " " S 18 E 13 " dist,

West On South side sec. 34 T. 11 N. R. 5 W.
40.00 Set gr. sec. post from which
a Sycamore 12 in dia. bears S 29 E 15 th.
& a Do. 12 " " " N 44 E 6 " dist

80.00 Set post cor. sec. 33 & 34 from which
a Sugar 16 in dia. bears S 52 W 14 th. dist,
& a Do. 16 " " " N 45 E 20 " "

T. 11 N. R. 5 W. 2nd Mer. Ind.

West On the South side of sec. 33 T. 11 N. R. 5 W.
40.00 Set gr. sec. post from which
a Hickory 18 in dia. bears S 18 E 12 th. dist,
& a Sycamore 9 " " " N 36 E 24 " "
80.00 Set post cor. sec. 32 & 33 from which
a Beech 18 in dia. bears N 64 W 16 th. dist,
& a Do. 18 " " " N 47 E 14 " "

West On the S. side of sec. 32 T. 11 N. R. 5 W.
40.00 Set gr. sec. post from which a
Hickory 12 in dia. bears N 57 W 5 th. dist,
& a Beech 16 " " " S 59 E 29 " "

80.00 Set a post cor. sec. 31 & 32 from which
a Beech 18 in dia. bears S 53 W 11 th. dist,
& a Hickory 12 " " " N 55 E 4 " "

West On the S. side of sec. 31 T. 11 N. R. 5 W.
40.00 Set gr. sec. post from which
a Beech 18 in dia. bears S 52 W 28 th. dist,
& a W. Oak 9 " " " S 33 E 23 " "

80.00 Set temp^y Lower corner post,
Surveyed in March 1811. — By
Alex^r. Holmes, Dep. Sur.

East Boundary.

North On the E. side of sec. 36, T. 11 N. R. 5 W.
28.00 To a Brook 6 th. wide en. W,
40.00 Set gr. sec. post from which
a Sugar 12 in dia. bears S 10 E 8 th. dist,
& a Hickory 12 " " " N 6 W 25 " "
40.00 To a Brook 6 th. wide en. S. W,
80.00 Set a post cor. sec. 25 & 36 from which
a Sugar 18 in dia. bears S 60 E 13 th. dist,
& a Beech 18 " " " S 85 W 19 " "
Hilly rich land & the timber is Beech

T. H. N. R. 5 W. 2nd. Mer. Ind.^a

C. L. Sugar Oak &c

North On the E. side of sec. 25 T. H. N. R. 5 W.
 17.00 To a Sugar 18 in. dia. in the line,
 25.00 " " Brook 5 m. wide en. W,
 40.00 Set gr. sec. post from which
 a Sugar 14 in. dia. bears S 55 E 22 m.,
 & a Beech 8 " " " N 55 W 20 "
 45.00 To a Brook 3 m. wide en. W,
 80.00 Set a post cor. sec. 24 & 25 from which
 a Sugar 12 in. dia. bears N 66 E 29 m. dir,
 & an Elm 36 " " " N 78 W 35 " "

North On the E. side of sec. 24 T. H. N. R. 5 W.
 21.00 To a Brook 3 m. wide en. W,
 30.00 " " Do. 3 " " " S. W,
 40.00 Set gr. sec. post from which
 an Ash 16 in. dia. bears N 86 W 12 m. dir,
 & a Beech 6 " " " S 76 E 14 " "
 60.00 To a W. Oak 14 " " in the line.
 80.00 Set a post cor. sec. 13 & 24 from which
 a Hickory 18 in. dia. bears N 38 E 16 m. dir,
 & a Sassafras 6 in. dia. " N 18 W 25 " "
 Hilly rich land & the timber is Sugar
 Beech Oak ash &c

North On the E. side of sec. 13 T. H. N. R. 5 W.
 31.50 To a Brook 10 m. wide en. W,
 35.00 " " Do. 10 " " " W,
 40.00 Set gr. sec. post from which
 a Beech 6 in. dia. bears N 86 W 15 m. dir,
 & an Ironwood 6 in. dia. " N 41 E 23 " "
 70.00 To a Brook 3 m. wide en. W,
 80.00 Set a post cor. sec. 12 & 13 from which
 a Beech 6 in. dia. bears S 63 E 7 m. dir,
 & a Sugar 12 " " " N 39 W 20 " "

T. H. N. R. 5 W. 2nd. Mer. Ind.^a 58C. L. Hilly rich land & the timber is Sugar
Beech Oak Ash &c

North On the E. side of sec. 12 T. H. N. R. 5 W.
 1.00 To a Brook 3 m. wide en. W,
 10.00 " " Do. 20 " " " "
 26.25 " " Sugar 24 " " in the line,
 40.00 Set gr. sec. post from which
 a Beech 16 in. dia. bears S 33 E 23 m. dir,
 & a Do. 18 " " " N 10 W 11 " "
 80.00 Set a post cor. sec. 11 & 12 from which
 an Ash 18 in. dia. bears N 14 W 54 m.,
 & a Do. 16 " " " N 26 W 68 "
 Land hilly rich & the timber is Sugar,
 Beech, Buckeye &c. May 3^d 1811. —

North On the E. side of sec. 1 T. H. N. R. 5 W.
 5.00 To a Brook 5 m. wide en. W,
 24.00 " " Do. 25 " " " S. W,
 40.00 Set a gr. sec. post from which
 a Beech 12 in. dia. bears N 82 E 15 m. dir,
 a Do. 14 " " " N 55 W 20 " "
 57.30 To a Sugar 12 " " in the line,
 80.00 Set tetrapy. Lower corner.
 1st 1/2 mile is rich bottom land last 1/2 is
 rich hill land. Timber Beech &c,
 Surveyed in May. 1811. By
 Alex^r. Holmes. Dep. Sur.

North Boundary. See South 34 of
T. 12 N. 12.5 W.

West On the South side sec. 36 T. 12 N. 12.5 W.
 30.00 To a Brook 20 m. wide en. South
 40.00 Set gr. sec. post from which
 a Beech 16 in. dia. bears N 85 E 21 m.,
 & a Do. 8 " " " N 87 W 19 " dir

T. 11 N. R. 5 W. 2nd Mer. Ind. a

80.00 Set a post cor. sec. 35 & 36 from which
a Hickory 12 in. dia. bears N 20 E 18 M. dist.
& a Buckeye 6 " " N 14 W 5 " "
Good Meek land on this line,

West On the south side of sec. 35 & 12 N. R. 5 W.

6.00 To a Brook 25 M. wide en. South

40.00 Set g^r. sec. post from which
a Buck 16 in. dia. bears N 16 E 31 M. dist.
& a Do. 16 " " " N 25 W 9 " "

71.00 To a Brook 5 M. wide en. N.

80.00 Set a post cor. sec. 34 & 35 from which
a Buck 16 in. dia. bears N 32 E 17 M. dist.
& a Do. 18 " " " N 52 W 27 " "

Level land timber is Buck Oak Poplar &c.

West On the south side of sec. 34 & 12 N. R. 5 W.

40.00 Set g^r. sec. post from which
a Buck 13 in. dia. bears N 77 W 16 M. dist.
& a W. Oak 16 " " " N 78 E 43 " "

61.00 To a Brook 8 M. wide en. North

80.00 Set a post cor. sec. 33 & 34 from which
a Buck 16 in. dia. bears N 6 W 17 M. dist.
& an Ash 18 " " " N 6 E 38 " "

Land level Meek land.

West On south side of sec. 33 & 12 N. R. 5 W.

6.00 To a Brook 4 M. wide en. N.

21.00 " " Do. 4 " " " N.

40.00 Set g^r. sec. post from which
a Buck 15 in. dia. bears N 45 E 3 M. dist.
& a Do. 15 " " " N 22 W 26 " "

80.00 Set a post cor. sec. 32 & 33 from which
a Buck 15 in. dia. bears N 46 E 2 M. dist.
& a Do. 16 " " " N 41 W 46 " "

Land same as on last mile,

T. 11 N. R. 5 W. 2nd Mer. Ind. a⁶⁰

West On south side of sec. 32 & 12 N. R. 5 W.

40.00 Set g^r. sec. post from which
a Buck 15 in. dia. bears N 15 E 27 M. dist.
& a Do. 15 " " " N 6 W 12 " "

80.00 Set a post cor. sec. 31 & 3 from which
an Elm 9 in. dia. bears N 17 W 20 M. dist.
& a Hackberry 8 " " " N 21 E 16 " "

Land same as on last mile,

West On south side of sec. 31 & 12 N. R. 5 W.

4.00 To a Brook 200 M. wide en. South

16.00 To a Brook 10 M. wide en. South.

40.00 Set g^r. sec. post from which
a Buck 16 in. dia. bears N 35 E 17 M. dist.
& a W. Oak 30 " " " N 35 E 17 " "

43.50 To a Brook 6 M. wide en. N.E.

78.00 To the W. boundary, 200 M. N. of post,
where set post cor. sec. 11 & 12 N. Range 5 & 6 W.
a Buck 30 in. dia. bears N 7 E 19 M. dist.
& a Red Oak 16 " " " N 18 E 37 " "

Rich land & timbered Buck Oak Sugar &c.
May 5th 1811 - Surveyed By
Alex^r. Holmes, Dep. Sur.

West Boundary. Var.

North On the East side of sec. 36 & 11 N. R. 6 W.

40.00 Set g^r. sec. post from which
a W. Oak 12 in. dia. bears N 20 E 30 M. dist.
& a Do. 18 " " " N 39 E 16 " "

65.00 To a Brook 40 M. wide en. S.W.

80.00 Set post cor. sec. 25 & 36 from which
a Maple 16 in. dia. bears N 10 E 7 M. dist.
& an ash 16 " " " N 41 W 23 " "

West Bottom land timbered Ash Elm Buck &c.

T. 11 N. R. 5 W. 2nd New. Ind.^a

North On East side of sec. 25 T. 11 N. R. 5 W.
 20.25 To a sugar 18 in dia, in the line,
 33.00 " " Brook 10 lbs. wide en. S. W,
 40.00 Set gr. sec. post from which
 a Hickory 16 in dia bears S 25° E 13 lbs,
 & a Do. 12 " " " N 2° W 44 "
 80.00 Set a post cor. sec. 24 & 25 from which
 an Elm 16 in dia, bears S 18° E 24 lbs. dia,
 & an ash 5 " " " N 64° E 6 " "
 Rich land & the timber is sugar, ash & walnut &c.

North On the E. side of sec. 24 T. 11 N. R. 5 W.
 13.00 To a spring en. West,
 36.00 To a Brook 4 lbs. wide en. W,
 38.00 " " Spring course S. W,
 40.00 Set gr. sec. post from which
 a Beech 30 in dia, bears S 57° W 12 lbs. dia,
 & a Oak 30 " " " N 18° W 43 "
 57.00 To a spring en. W,
 65.00 " " Do. " W, —
 Land & timber same as before
 80.00 Set a post cor. sec. 13 & 24 from which
 a Beech 6 in dia, bears S 46° E 3 lbs. dia,
 & a Do. 30 " " " N 6° W 28 "
 Land & timber is same as last mile,

North On the E. side of sec. 13 T. 11 N. R. 5 W.
 4.00 To a Brook 75 lbs. wide en. W,
 40.00 Set gr. sec. post from which
 a Buckeye 7 in dia, bears S 42° W 20 lbs,
 & a Hackberry 14 " " " N 69° E 29 "
 55.00 Tracked a creek
 70.00 Over the Do. 200 lbs. wide en. S. W,
 80.00 Set post cor. sec. 12 & 13 from which
 a Buckeye 15 in dia, bears S 25° W 32 lbs. dia,
 & a Hickory 18 " " " N 39° E 41 "

T. 11 N. R. 5 W. 2nd New. Ind.^a

6. E. Land & timber same as last mile

North On East side of sec. 12 T. 11 N. R. 5 W.
 16.00 To a Brook 20 lbs. wide en. S. E,
 40.00 Set gr. sec. post from which
 a Buckeye 16 in dia, bears S 18° E 14 lbs. dia,
 & a Hackberry 24 " " " S 75° W 20 "
 53.50 To a Red Oak 36 " " in the line,
 80.00 Set a post cor. sec. 1 & 12 from which
 an Elm 6 in dia, bears S 15° E 14 lbs. dia,
 & a Cherry 7 " " " S 31° W 9 " "
 Land first rate timber Buckeye Walnut &c.

North On the E. side of sec. 1 T. 11 N. R. 5 W.
 22.25 To a Beech 8 in dia, in the line,
 30.00 " " Brook 3 lbs. wide en. W,
 35.00 " " Do. 5 " " " S. W,
 40.00 Set gr. sec. post from which
 a Beech 16 in dia, bears N 13° E 18 lbs,
 & a Do. 16 " " " S 56° E 33 "
 80.00 Set temporary Locon corner post,
 Land loc. timber Beech Oak Hickory &c.

Subdivisions. April 1st 1814.

North Between sections 35 & 36
 25.00 To a Brook 8 lbs. wide en. N. W,
 40.00 Set gr. sec. post from which
 a Poplar 6 in dia, bears N 12° W 5 lbs. dia,
 & a Walnut 9 " " " S 3° W 27 " "
 80.00 Set a temporary post,
 Meeting good land & the timber
 is Beech Sugar &c.

East On Random between sec. 25 & 36
 West correct the line between sec. 25 & 36
 and so on to page 71 f.

T. H. N. R. 5 W. 2nd Mer. Ind.

- 40.00 Set g^r. sec, post from which
a Buck 18 in. dia. bears East 18th dist.
& a Do. 9 " " " N 83 W 29 " "
- 78.50 To the cor. of sec. 25. 26. 35 & 36 from wh.
an Oak 18 in. dia. bears East 25th dist.
& a Hickory 15 " " " S 47 W 13 " "
- Land & timber same as above,

North Between sections 25 & 26, T. H. N. R. 5 W.

- 40.00 Set g^r. sec, post from which
a Buck 15 in. dia. bears S 86 W 21th dist.
& a Sugar 7 " " " N 76 E 38 " "
- 70.50 To a Buck 22 " " in the line,
- 80.00 Set a temporary post.
Land flat & wet. Timber Buck & Oak,

East On Random between sec. 24 & 25

- Wat Correct the line between sec. 24 & 25
- 40.00 Set a g^r. sec, post from which
a Buck 5 in. dia. bears N 4 W 5th dist.
& an Elm 7 " " " S 41 W 4 " dist.
- 78.50 Set the sec. post from which
a Buck 8 in. dia. bears S 10 E 8th dist. &
& a Dogwood 6 in. dia. bears N 44 E 15th dist.
cor. sec. 23. 24. 25 & 26 - Good land &
the timber is Sugar & Walnut &c,

North Between sections 23 & 24

- 40.00 Set g^r. sec. post from which
a Buck 9 in. dia. bears East 4th dist.
& a Do. 8 " " " S 72 W 10 " "
- 80.00 Set a temporary post. Rich hilly land
& the timber is Sugar Buck Walnut &c,

East On Random between sec. 13 & 24

T. H. N. R. 5 W. 2nd Mer. Ind.

- Wat Correct the line between sec. 13 & 24
- 40.00 Set g^r. sec. post from which
a Buck 20 in. dia. bears South 15th dist.
& a Do. 12 " " " N 96 E 13 " "
- 79.00 Set post cor. sec. 13. 14. 23 & 24 from wh.
a Buck 12 in. dia. bears S 96 E 19th dist.
& a Do. 12 " " " N 12 E 18 " "
- Land rich hilly & the timber is same,

North Between sections 13 & 14 T. H. N. R. 5 W.

- 40.00 Set g^r. sec, post from which
a W. Oak 18 in. dia. bears N 40 E 16th dist.
& a Buck 15 " " " S 35 W 19 " "
- 80.00 Set a temporary post. Land &c. same
as on last mile -

East On Random between sec. 12 & 13

- Wat Correct the line between sec. 12 & 13.
- 3.50 To a Brook 50th wide cor. North
- 40.00 Set g^r. sec, post in creek 50th wide,
running S. W. from which
a Willow 8 in. dia. bears N 55 E 25th dist.
& a Sycamore 5 " " " S 60 W 26 " "
- 45.00 To a Creek 50th wide cor. N. W.
- 80.00 Set a post cor. sec. 11. 12. 13 & 14 from wh.
a Buck 24 in. dia. bears N 35 W 8th dist.
& a Do. 9 " " " S 67 E 21 " "
- Middle land & the timber is Oak
Buck & Sugar, &c April 2nd 1814,

North Between sections 11 & 12.

- 17.00 To a Creek 75th wide cor. W.
- 40.00 Set g^r. sec, post from which
a W. Oak 14 in. dia. bears S 56 E 26th dist.
& a Buck 12 " " " West 22 " "

T. H. N. R. 5 W. 2nd. Mer. Ind.^a

40.00 Set g^r. Sec, post from which
a Buck 18 in. dia. bears East 18th dir.
& a Do. 9 " " " N 83 W 29 " "
78.50 To the cor. of sec. 25, 26, 35 & 36 from wh.
an Oak 18 in. dia. bears East 25th dir.
& a Hickory 15 " " " S 47 W 13 " "
Land & timber same as above,

North Between sections 25 & 26, T. H. N. R. 5 W.

40.00 Set g^r. Sec, post from which
a Buck 15 in. dia. bears S 86 W 21th dir.
& a Sugar 7 " " " N 76 E 38 " "
70.50 To a Buck 22 " " in the line,
80.00 Set a temporary post.
Land flat & wet, timber Buck & Oak,

East On Random between sec. 24 & 25

Wat Correct the line between sec. 24 & 25
40.00 Set a g^r. Sec, post from which
a Buck 5 in. dia. bears N 4 W 5th dir.
& an Elm 7 " " " S 41 W 4 " dir.
78.50 Set the sec. post from which
a Buck 8 in. dia. bears S 10 E 8th dir. &
& a Dogwood 6 in. dia. bears N 44 E 15th dir.
cor. sec. 23, 24, 25 & 26 - Good land &
the timber is Sugar & Walnut &c.,

North Between sections 23 & 24

40.00 Set g^r. Sec, post from which
a Buck 9 in. dia. bears East 4th dir.
& a Do. 8 " " " S 72 W 10 " "
80.00 Set a temporary post. Rich hilly land
& the timber is Sugar Buck Walnut &c.,

East On Random between sec. 13 & 14

T. H. N. R. 5 W. 2nd. Mer. Ind.^a

Wat Correct the line between sec. 13 & 14
40.00 Set g^r. Sec, post from which
a Buck 20 in. dia. bears South 15th dir.
& a Do. 12 " " " N 9 E 13 " "
79.00 At post cor. sec. 13, 14, 23 & 24 from wh.
a Buck 12 in. dia. bears S 9 E 19th dir.
& a Do. 12 " " " N 12 E 18 " "
Land rich hilly & the timber is same,

North Between sections 13 & 14, T. H. N. R. 5 W.

40.00 Set g^r. Sec, post from which
a W. Oak 18 in. dia. bears N 40 E 16th dir.
& a Buck 15 " " " S 35 W 19 " "
80.00 Set a temporary post. Land &c. same
as in last mile -

East On Random between sec. 12 & 13

Wat Correct the line between sec. 12 & 13.
3.50 To a Brook 50th wide cor. North
40.00 Set g^r. Sec, post in creek 50th wide,
running S. W. from which
a Willow 8 in. dia. bears S 55 E 25th dir.
& a Sycamore 5 " " " S 60 W 26 " "
45.00 To a Creek 50th wide cor. N. W.
80.00 Set a post cor. sec. 11, 12, 13 & 14 from wh.
a Buck 24 in. dia. bears S 35 W 8th dir.
& a Do. 9 " " " S 67 E 21 " "
Middle land & the timber is Oak
Buck & Sugar, &c. Apr 2nd 1814,

North Between sections 11 & 12.

17.00 To a Creek 75th wide cor. W.
40.00 Set g^r. Sec, post from which
a W. Oak 14 in. dia. bears S 5 E 26th dir.
& a Buck 12 " " " West 22 " "

T. 11 N. R. 5 W. 2nd Mer. Ind.

64.00 To a Sugar 15 in dia bears in line,
80.00 set a temporary post. Land & timber
is same as on last mile,

East On Random between sec. 1 & 12,

West Correct the line between sec. 1 & 12,
10.00 Leave the swamp

19.00 To a Brook 50 yds. wide on south
40.00 set gr. sec. post from which
a Poplar 36 in dia, bears S 80 E 24 in,
+ a Beech 9 " " " S 20 W 4 "

81.00 Set post cor. sec. 1, 2, 11 & 12 from wh.
a Beech 12 in dia, bears S 20 W 5 in dia,
+ a Do. 20 " " " N 50 W 27 "
good. Beech & Oak land & timber

North Between sections 1 & 2 T. 11 N. R. 5 W,
40.00 Set a post for gr. sec. cor. from which
a Beech 18 in dia, bears S 40 E 19 in dia,
+ a Do. 15 " " " N 32 W 30 "

78.00 To a Brook 15 yds. wide on S. E,
80.75 Intercept N. boundary, 200 yds W. of post,
where set post cor. sec. 1 & 2 from wh.
a Walnut 24 in dia, bears S 15 E 20 in dia,
+ a Do. 6 " " " N 35 W 20 "
Middle land & the timber is Beech
Sugar Oak & timber

North Between sections 34 & 35 T. 11 N. R. 5 W,
40.00 Set gr. sec. post from which
a Beech 22 in dia, bears S 78 E 32 in,
+ a Do. 15 " " " West 23 in dia,

60.00 To a Brook 12 yds. wide on W,

71.80 To a Beech 18 in dia, in the line,
80.00 set post. Good land Sugar Beech Poplar,

T. 11 N. R. 5 W. 2nd Mer. Ind.

East On Random between sec. 26 & 35

West Correct the line between sec. 26 & 35

20.00 To a Brook 10 yds. wide on south
40.00 set gr. sec. post from which
a Beech 10 in dia, bears N 59 E 27 in dia,
+ a Sugar 20 " " " N 45 W 18 "
80.50 Set post cor. sec. 26, 27, 34 & 35 from wh.
a Beech 20 in dia, bears S 48 E 23 in dia,
+ a Do. 12 " " " N 74 W 19 "
Good land & the timber is same as before

North Between sections 26 & 27, T. 11 N. R. 5 W,
31.50 To a Brook 8 yds. wide on S. W,
40.00 set a gr. sec. post from which
a Beech 18 in dia, bears N 43 W 10 in dia,
+ a Sugar 15 " " " S 82 W 29 "
Middle land & the timber is Beech Sugar,
Oak & timber

East On Random between sec. 23 & 26

West Correct the line between sec. 23 & 26,

40.00 set gr. sec. post from which
a W. Oak 24 in dia, bears S 50 W 29 in dia,
+ a Beech 9 " " " N 48 E 10 "
80.00 Set a post cor. to sec. 22, 23, 26 & 27 from wh.
a Beech 36 in dia, bears S 50 W 29 in dia,
+ a Do. 12 " " " S 45 E 8 "
Land & timber same as last mile,

North Between sections 22 & 23,
40.00 set gr. sec. post from which
a Beech 10 in dia, bears S 83 E 8 in dia,
+ a Do. 9 " " " S 77 W 7 "
56.00 To a Poplar 24 " " in the line,

T. 11 N. R. 5 W. 2nd New, Ind. a.

80.00 Set a temporary post. Middleling good land. The timber is Beech, Oak, Sugar, &c.
April 3rd 1814 -

West On true line between sec. 14 & 23,
40.00 Set gr. sec. post from which
a Beech 30 in. dia. bears N 50 W 30 ths.
& a Do. 6 " " " N 62 E 8 " dit,
80.00 Set a post cor. sec. 14, 15, 22 & 23 from wh.
a W. Oak 24 in. dia. bears S 82 E 17 ths. dit,
& a Beech 12 " " " S 72 W 10 " "
Land & timber is same as before

North Between sections 14 & 15 T. 11 N. R. 5 W.
23.50 To a W. Oak 48 in. dia. in the line,
40.00 Set gr. sec. post from which
an Oak 12 in. dia. bears N 10 W 8 ths.
& a Sugar 10 " " " N 42 E 8 " dit
80.00 Set temporary post, Land &c. same as last,

East On Random between sec. 11 & 14

West Correct the line between sec. 11 & 14
40.00 Set gr. sec. post from which
a Sugar 22 in. dia. bears S 8 W 23 ths.
& a Beech 6 " " " N 5 W 5 ths. dit,
80.00 Set a post cor. sec. 10, 11, 14 & 15 from wh.
a Beech 15 in. dia. bears N 10 W 39 ths. dit,
& a Do. 18 " " " S 81 E 48 " "

North Between sections 10 & 11 T. 11 N. R. 5 W.
15.50 To a beech 75 wide in. S W
40.00 Set gr. sec. post from which a
Sassafras 10 in. dia. bears S 20 E 13 ths. dit,
& a Beech 8 " " " S 32 E 5 " "
60.00 To a Sugar 20 " " in the line,

T. 11 N. R. 5 W. 2nd New, Ind. a.

80.00 Set a temp^y post. Wellly & strong. Land
& timber is Beech, Sugar Oak &c.

East On Random between sec. 2 & 11

West Correct the line between sec. 2 & 11
40.00 Set gr. sec. post from which
a Beech 30 in. dia. bears S 42 W 32 ths. dit,
& a Do. 12 " " " N 63 E 21 " "
80.00 Set a post cor. sec. 2, 3, 10 & 11 from which
a Beech 12 in. dia. bears N 4 E 10 ths. dit,
& a Sugar 9 " " " N 83 W 20 " "
Wellly, rich land & the timber is same as before

North Between sections 2 & 3 T. 11 N. R. 5 W.
19.75 To a W. Oak 24 in. dia. in the line
40.00 Set gr. sec. post from which
a Beech 9 in. dia. bears S 81 E 20 ths. dit,
& a Do. 18 " " " N 73 W 26 " "
82.00 Intersect N. bound^y 150 ths. West of post
where set post cor. sec. 2 & 3 from which
a Beech 18 in. dia. bears N 52 E 20 ths. dit,
& a Hickory 24 " " " S 57 W 22 " "
Rich Beech Land &c.

North Between sections 33 & 34 T. 11 N. R. 5 W.
17.00 To a W. Oak 18 in. dia. in the line,
40.00 Set gr. sec. post from which
a Beech 20 in. dia. bears West 43 ths. dit,
& a Do. 22 " " " N 39 E 5 " "
73.50 To a Brook 12 ths. wide in. W,
80.00 Set a temp^y post. Middleling Beech &
Oak land &c.

East On Random between sec. 31 & 34